

**BuzziBlinds**

Soundabsorbing Freestanding Panel

**asset**  
space becomes place

---

# BuzziBlinds

## Product Specification Sheet

---

This document contains technical information about the BuzziBlinds

---



[www.buzzi.space](http://www.buzzi.space)



## Acoustical performance and privacy with a twist

After the introduction in 2011 BuzziBlinds Classic became an instant hit as partitions for open-plan spaces. Five years later it's time to add some zest to the family. BuzziBlinds are inspired on modernist architecture. The rhythm and tonalities created by the orientation of the V-cut BuzziBlinds add a dynamic of depth to any space. The free-standing room divider is made up of a series of five rotating acoustic blinds. With a simple twist, the blinds can be opened or closed to varying degrees to create privacy or open-up a space. This gives individuals the opportunity to determine the level of privacy they may want or need at any given moment to concentrate on a specific task. BuzziBlinds consists of 4 different shapes. The Blinds are covered with plane BuzziFelt. Adding a V-cut feature to the BuzziFelt enhances a stronger architectural look in your space.

Design by Alain Gilles

## General



Straight | Wedge | Beach | Arch  
M | L



Baseplate: powder coated metal  
Blinds: core aluminium  
BuzziFelt cover



Dry use



Flat packed

Baseplate colour in black (RAL 9005) or white (RAL 9010)

Blinds felt with or without V-cut

Optional felt printed (not possible for V-cut)

- Optional extra layer Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Hero, Tonus 4, Memory 2 (extra layer not possible for V-cut)

Multicolour (front & back different colour)  
Wheels (4pcs)

## Acoustics



Attenuation



Diffusion



Absorption



Mid tones



High tones

## Certifications





## Content

Configurations	3	Dimensions	11
Overview	5	Acoustics	13
Fabrics	7		

# Configurations

## BuzziBlinds Straight



📏 M | L

Baseplate: powder coated metal

🌲 Blinds: aluminium core  
BuzziFelt cover

M: H 150 cm    W 149 cm    D 49 cm  
H 59.06"    W 58.66"    D 19.29"

✂ L: H 185 cm    W 149 cm    D 49 cm  
H 72.83"    W 58.66"    D 19.29"

⚖ M: 45 kg | 99.21 lbs  
L: 49 kg | 108.03 Lbs

Baseplate color in black (RAL 9005) or white (RAL 9010)

Blinds felt with or without V-cut

Optional Felt printed (not possible for V-cut)



⋮ Optional extra layer Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Hero, Tonus 4, Memory 2

(extra layer not possible for V-cut)

Multicolor (front & back different color)

Wheels (4pcs)

## BuzziBlinds Wedge



📏 M | L

Baseplate: powder coated metal

🌲 Blinds: aluminium core  
BuzziFelt cover

M: H 155 cm    W 149 cm    D 49 cm  
H 61.02"    W 58.66"    D 19.29"

✂ L: H 190 cm    W 149 cm    D 49 cm  
H 74.80"    W 58.66"    D 19.29"

⚖ M: 45 kg | 99.21 lbs  
L: 49 kg | 108.03 Lbs

Baseplate color in black (RAL 9005) or white (RAL 9010)

Blinds felt with or without V-cut

Optional Felt printed (not possible for V-cut)



⋮ Optional extra layer Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Hero, Tonus 4, Memory 2

(extra layer not possible for V-cut)

Multicolor (front & back different color)

Wheels (4pcs)

## BuzziBlinds Beach



Beach  
Front - Back

Beach V-cut  
lines 1 Front

Beach V-cut  
lines 1 Back

🔑 M | L

Baseplate: powder coated metal

🌲 Blinds: aluminium core  
BuzziFelt cover

M: H 155 cm    W 149 cm    D 49 cm  
H 61.02"    W 58.66"    D 19.29"

✂️

L: H 190 cm    W 149 cm    D 49 cm  
H 74.80"    W 58.66"    D 19.29"

⚖️

M: 45 kg | 99.21 lbs  
L: 49 kg | 108.03 lbs

Baseplate color in black (RAL 9005) or white (RAL 9010)

Blinds felt with or without V-cut

Optional Felt printed (not possible for V-cut)



⋮ Optional extra layer Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Hero, Tonus 4, Memory 2

(extra layer not possible for V-cut)

Multicolor (front & back different color)

Wheels (4pcs)

## BuzziBlinds Arch



Arch  
Front - Back

Arch V-cut lines 1  
Front - Back

🔑 M | L

Baseplate: powder coated metal

🌲 Blinds: aluminium core  
BuzziFelt cover

M: H 149 cm    W 149 cm    D 49 cm  
H 58.66"    W 58.66"    D 19.29"

✂️

L: H 184 cm    W 149 cm    D 49 cm  
H 72.44"    W 58.66"    D 19.29"

⚖️

M: 45 kg | 99.21 lbs  
L: 49 kg | 108.03 Lbs

Baseplate color in black (RAL 9005) or white (RAL 9010)

Blinds felt with or without V-cut

Optional Felt printed (not possible for V-cut)

⋮ Optional extra layer Fabric, Trevira CS+ | CS, Revive 1, Clara 2, Remix 3, Hero, Tonus 4, Memory 2

(extra layer not possible for V-cut)

Multicolor (front & back different color)

Wheels (4pcs)


# Overview

---

## BuzziBlinds Straight M|L



Straight  
Front




Straight  
Back

---


M: H 145 cm W 33 cm    L: H 180 cm W 33 cm  
H 57.09" W 12.99"    H 70.87" W 12.99"

---

## BuzziBlinds Straight V-cut M|L



Straight V-cut lines 1  
Front




Straight V-cut lines 1  
Back

---

M: H 145 cm W 33 cm    L: H 180 cm W 33 cm  
H 57.09" W 12.99"    H 70.87" W 12.99"

---

## BuzziBlinds Wedge M|L



Wedge  
Front



Wedge  
Back

---


M: H 150 cm W 33 cm    L: H 185 cm W 33 cm  
H 59.06" W 12.99"    H 72.83" W 12.99"

---

## BuzziBlinds Wedge V-cut M|L



Wedge V-cut lines 1  
Front




Wedge V-cut lines 1  
Back

---

M: H 150 cm W 33 cm    L: H 185 cm W 33 cm  
H 59.06" W 12.99"    H 72.83" W 12.99"

---

## BuzziBlinds Beach M|L



Beach  
Front


Beach  
Back

---

M: H 145 cm W 33 cm    L: H 180 cm W 33 cm  
H 57.09" W 12.99"    H 70.87" W 12.99"

---

## BuzziBlinds Beach V-cut M|L



Beach V-cut lines 1  
Front


Beach V-cut lines 1  
Back

---

M: H 145 cm W 33 cm    L: H 180 cm W 33 cm  
H 57.09" W 12.99"    H 70.87" W 12.99"

---

## BuzziBlinds Arch M|L



Arch  
Front


Arch  
Back

---

M: H 144 cm W 33 cm    L: H 179 cm W 33 cm  
H 56.59" W 12.99"    H 70.47" W 12.99"

---

## BuzziBlinds Arch V-cut M|L



Arch V-cut lines 1  
Front

Arch V-cut lines 1  
Back


---

M: H 144 cm W 33 cm    L: H 179 cm W 33 cm  
H 56.59" W 12.99"    H 70.47" W 12.99"

# Fabrics

---


## Felt



**Composition** 100% Recycled PE.T. Felt, latex backing  
**Weight** 1.000 g/m<sup>2</sup> | 29.49 oz/yd<sup>2</sup>  
**Abrasion resistance** >7.000 Martindale  
**Flammability** EU: EN 13501.1 + A1/2009 Class B-s1,d0  
USA: ASTM E84 Class A certified  
**Fastness to light** USA 5




## Fabric



**Category** A  
**Composition** 70% Recycled Wool, 25% Recycled Polyacryl,  
5% Recycled Other Fabrics  
**Weight** 405 g/m<sup>2</sup> | 11.94 oz/yd<sup>2</sup>  
**Abrasion resistance** 40.000 Martindale, 50,000 Wyzenbeek  
**Flammability** EU: EN 1021.1/2006 | BS EN 1021.1/2006 (cigarette).  
EN 1021.2/2006 | BS EN 1021.2/2006 (match)  
USA: CAL TB 117 | ASTM E84 CLASS A  
**Fastness to light** EU: 4 | USA 4  
**Fastness to rubbing** EU: Wet 3-4 | Dry 4-5  
**Fastness to crocking** USA: Wet 5 | Dry 5



## Trevira CS+ | CS




**Category** A  
**Weight** 420 g/m<sup>2</sup> | 12.39 oz/yd<sup>2</sup>  
**Composition** 100% Polyester, Trevira CS  
**Abrasion resistance** 100.000 Martindale, 90,000 Wyzenbeek  
**Flammability** BS 5852 part II: CRIB 5 | BS 7176 Medium Hazard  
USA: CAL TB 117 | M1 | B1 | EN 1021/1-2 | C1 |  
IMO Res. A652 (16)  
**Fastness to light** EU: 6 | USA 5  
**Fastness to rubbing** EU: Wet 4-5 | Dry 4-5  
**Fastness to crocking** USA: Wet 5 | Dry 5





## Revive 1

kvadrat



**Category A**

**Composition** 100% recycled polyester FR

**Weight** 430 g/lin.m

**Abrasion resistance** 60.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1  
UNI 9175 1IM | US Cal. Tech. Bull. 117  
IMO A.652 (16)


**Fastness to light** Note 5-7, ISO 105-B02

**Fastness to rubbing** (ISO) dry 5, wet 4-5

**Pilling** Note 4-5, EN ISO 12945



## Velvet



**Category B**

**Composition** 100% PES

**Weight** 375 g/m<sup>2</sup> | 11.06 oz/yd<sup>2</sup>

**Abrasion resistance** > 100.000 Martindale


**Fastness to light** EU: 4-5

**Fastness to rubbing** EU: Wet 4 | Dry 4-5

**Pilling** EU: 4-5

## Clara 2

kvadrat



**Category B**

**Composition** 92% new wool, 8% nylon

**Weight** 400 g/lin.m

**Abrasion resistance** 80.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | BS 5852, ignition source 2-3 | DIN 4102 B2  
NF D 60 013 | UNI 9175 1IM | US Cal. Tech. Bull. 117, Sec. E  
NFPA 260 | IMO A.652(16)

**Fastness to light** Note 5-7, ISO 105-B02

**Fastness to rubbing** (ISO) dry 4-5, wet 4

**Pilling** Note 4, EN ISO 12945



## Remix 3

kvadrat



**Category B**

**Composition** 90% new wool, 10% nylon

**Weight** 415 g/lin.m

**Abrasion resistance** 100.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | BS 5852 part 1  
Önorm B1/Q1 | NF D 60 013 | UNI 9175, 1IM  
AS/NZS 1530.3 | Cal. Tech. Bull. 117-2013  
NFPA 260 | IMO FTP Code 2010:Part 8

**Fastness to light** Note 5-7, ISO 105-B02


**Fastness to rubbing** (ISO) dry 4-5, wet 4

**Pilling** Note 4, EN ISO 12945



## Hero

kvadrat



**Category C**

**Composition** 96% new wool, 4% nylon

**Weight** 580 g/lin.m

**Abrasion resistance** 45.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | DIN 4102 B2 | NF D 60 013  
UNI 9175 11M | US Cal. Bull. 117-2013 | NFPA 260  
IMO A.652 (16)

**Fastness to light** Note 5-6, ISO 105-B02

**Fastness to rubbing** (ISO) dry 4-5, wet 4-5

**Pilling** Note 3-4, EN ISO 12945



## Tonus 4

kvadrat



**Category D**

**Composition** 90% new wool, 10% Helanca

**Weight** 665 g/lin.m

**Abrasion resistance** 100.000 Martindale rubs, EN ISO 12947

**Flammability** EN 1021-1/2 | BS 5852 part 1 | DIN 4102 B2  
Önorm B1/Q1 | NF D 60 013 | UNI 9175 11M  
US Cal. Bull. 117-2013 | NFPA 260 | IMO A.652 (16)

**Fastness to light** Note 5-7, ISO 105-B02


**Fastness to rubbing** (ISO) dry 3-5, wet 3-5

**Pilling** Note 3, EN ISO 12945



## Memory 2

kvadrat



**Category E**

**Composition** 100% Trevira CS

**Weight** 700 g/lin.m

**Abrasion resistance**

35.000 rubs acc. to the Martindale method, EN ISO 12947

**Flammability** EN 1021-1/2 | DIN 4102 B1 | Önorm B1/Q1  
NF D 60 013 | NF P 92 507 M1 | UNI 9175 11M  
UNI 9177 classe 1 | US Cal. Tech. Bull. 117  
IMO A.652 (16)

**Fastness to light** Note 5-8, ISO 105-B02

**Fastness to rubbing** (ISO) dry 4-5, wet 4-5

**Pilling** Note 4, EN ISO 12945



---

## Felt Printed (not for possible for V-cut)

**Composition** 100% Recycled P.E.T. Felt, latex backing

**Weight** 1.000 g/m<sup>2</sup> | 29.49 oz/yd<sup>2</sup>

**Abrasion resistance** >7.000 Martindale


**Flammability** EU: EN 13501.1 + A1/2009 Class B-s1,d0

USA: ASTM E84 Class A certified

**Fastness to light** USA 5



Concrete




Green 1




Green 2



Jungle



Marble Absynth



Marble Emperador



Camo Amazon



Camo Taiga




Camo Desert






Camo Snow

# Dimensions




# BuzziBlinds Baseplate Regular



# Acoustics

Equivalent sound absorption area in m<sup>2</sup> per object

## BuzziBlind Wedge closed position



Hz	M Aeq/m <sup>2</sup>	L Aeq/m <sup>2</sup>
125	0.30	0.36
250	1.00	1.21
500	1.40	1.71
1000	2.10	2.57
2000	3.10	3.80
4000	3.70	4.54

